

Notice of References Cited

Application/Control No.

10/599,807

Applicant(s)/Patent Under
Reexamination
KESSLER ET AL.

Examiner

Snigdha Maewall

Art Unit

1612

Page 1 of 1

U.S. PATENT DOCUMENTS

| * | | Document Number Country Code-Number-Kind Code | Date MM-YYYY | Name | Classification |
|---|---|--|-----------------|----------------|----------------|
| * | A | US-2004/0253321 | 12-2004 | Fechner et al. | 424/642 |
| * | B | US-2002/0022698 | 02-2002 | Danekas et al. | 525/192 |
| | C | US- | | | |
| | D | US- | | | |
| | E | US- | | | |
| | F | US- | | | |
| | G | US- | | | |
| | H | US- | | | |
| | I | US- | | | |
| | J | US- | | | |
| | K | US- | | | |
| | L | US- | | | |
| | M | US- | | | |

FOREIGN PATENT DOCUMENTS

| * | | Document Number Country Code-Number-Kind Code | Date MM-YYYY | Country | Name | Classification |
|---|---|--|-----------------|----------|---------------------------|----------------|
| | N | WO 03018498 | 03-2003 | Germany | Antimicrobial antiinflamm | |
| | O | JP 61186248 | 08-1986 | Japan | Glass ceramic | |
| | P | JP 7291654 | 11-1995 | Japan | antimicrobial glass | |
| | Q | DE 10322444 | 05-2003 | Germaany | Dis Folgenden | |
| | R | | | | | |
| | S | | | | | |
| | T | | | | | |

NON-PATENT DOCUMENTS

| * | | Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages) |
|---|---|---|
| | U | |
| | V | |
| | W | |
| | X | |

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.